


## 100Mbps Single-Mode Single-Fiber Receiver



## 100Mbps Single-Mode Single-Fiber Receiver



TESTED FOR COMPATIBILITY: Hot-swappable in MSA Compliant routers and switches; DDM support reports the transceiver's status to most SNMP network management tools.




DS-3D01R-A(B) 20 km 100 Mbps Fiber Receiver  
DS-3D01R-A(B) is a 100 Mbps single-mode single-fiber. optical transceiver developed by Hikvision. It provides one 100 Mbps RJ45 ...



These auto-negotiating devices accept a 10/100 Mbps electrical input and convert this to a 100 Mbps optical output. This series of media converters use multimode ...



Mouser offers inventory, pricing, & datasheets for 100 Mb/s Singlemode Transceivers Fiber Optic Transmitters, Receivers, Transceivers.



Equip with a long wavelength single mode optical transmitter and receiver, this SFP is suitable for single mode fiber systems. It is targeted at medium to long-reach transmission, including the campus, ...




SFP Fiber Transceiver PLANET's 100Mbps Fast Ethernet SFP Fiber Transceiver utilizes a wavelength of (1310nm) FP LD, which enables a data transmission of up to 2km on a multimode optical fiber and ...



Learn everything about 100BASE FX SFP, including specifications, transmission distance, fiber requirements, applications, and deployment best practices.



The SFP transceiver module supports a maximum distance of up to 10 km (6.2 mi) ...




The SFP transceiver module supports a maximum distance of up to 10 km (6.2 mi) and delivers dependable 100 Mb Ethernet connectivity over fiber cabling. This SFP fiber module is hot-swappable, ...



These auto-negotiating devices accept a 10/100 Mbps electrical input and convert this to a 100 Mbps optical output. This series of media converters use multimode and single-mode optical fiber and one ...



TRENDnet's 100Base-FX SFP Single-Mode LC Module is compatible with standard SFP slots found on network switches and fiber converters. Each single mode SFP transceiver is equipped with a duplex ...



It uses LC connectors, operates at a 1310nm wavelength, and supports long-distance data transmission up to 100 kilometers, ideal for extending 100Mbps Ethernet links over significant distances.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

