


## 4-core to 288-core communication optical cables



## 4-core to 288-core communication optical cables



The singlemode fibre is G.652.D compliant low water peak grade and offers OS2 performance and OS1 backwards compatibility. These compact, lightweight cables are extremely rugged, provide rodent ...



Offers 4 core 24 core 48 core to 288 core with different cable structure. This 288 core CST fibre cable has a corrugated steel tape CST and a CSM, flame retardant sheath.



Our Corning Outdoor Armored Direct Burial (OSPDB) assemblies are made with genuine Corning ® Altos ® fiber optic cable, glass, and Corning ® AFOP connectors.



With a low-friction PE sheath, MiniXtend HD cables are optimized for blowing into microducts. Both the buffer tubes and the fibers contained within are color-coded for quick and easy identification.



After you submit your initial online order, our Sales Team will generate a personalized quote with the most efficient shipping rate from the warehouse closest to you. You will receive a final quote that will ...




ADSS (All-Dielectric Self-Supporting) cable is ideal for installation in distribution as well as transmission environments, even when live line ...



AFL OSP MicroCore® cable series is designed for outside plant installation in microduct conduit systems. The foundation of the design is the multi-fiber-set, gel-filled buffer tube construction. The ...



We have participated in the supply of optical cables for domestic key high-speed railway lines and urban subway lines, etc., and exported to Europe, America, ...



Core Specifications Sliding Drawer Type Fiber optic patch panel are the auxiliary equipment for terminal wiring in optical fiber transmission communication network, which is suitable for indoor optical cable ...



288 singlemode fibres for high density data center distribution applications. The fibres shall be ribbonized for easy mass fusion splicing and termination with 12-fibre MPO style connectors.



Product Number: FISR288A5 Indoor Flexible Ribbon OS2 288 Fibers OFCP Aluminum Interlocked Armor Sub-units 3.0mm (24F) FX Indoor, Flexible Ribbon, OS2, 288 Fibers, OFCP Aluminum ...



It is the stranded loose tube fiber optic cable with compact structure; the cable jacket is made of strong Polyethylene; High strength loose tube that is hydrolysis resistant. Hongan provides GYTS from 4 ...



The 288 core fiber optical cable is at the forefront of modern telecommunications and data transmission solutions. Designed for high-performance and long-distance communication, this cable type plays a ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

