

# 5760-core optical fiber splice closure



## Overview

These sealed canister closures are available in configurations that can accommodate from 72 to 576 single-fiber splices, or from a 288- to 1296-fiber capacity if splicing ribbons. The consolidation of multiport tails for up to 24 flat cables is accomplished with. Corning Splice Closure (SCF) with Mechanical End Cap is designed for splicing fibers in aerial, duct, and buried applications.

Trunk and Feeder Network Solutions: These closures are designed for robust performance in the backbone of. The Apex closure line is designed to improve usability, decrease installation time, increase network reliability, and increase density of fiber splices, especially when coupled with AFL's industry-leading high-density MicroCore® cable and Wrapping Tube Cable (WTC) with SpiderWeb Ribbon® (SWR®). COYOTE Closure, 288f/576f ribbon max, Buffer Tube: 8.5" x 22", Includes (1) 3 Section End Plate, (1) Blank End Plate, Organizer, and Lock Tape sealant. 79", Price Per Ea. Amphenol fiber optic sealed drop closures provide a versatile and functional cost-effective solution for FTTH network connections to the subscriber. Although a compact size, there is ample room to store 144 fiber cable.

## 5760-core optical fiber splice closure



AR-SC7P-576F-T is a dome type fiber optic splice closure that widely applied to the splicing, distributing variable optical cables. It is big capacity, max. 576 fibers.



Explore reliable optical fiber splice closures for network deployment. Our closures prioritize reliability, installability, and flexibility.



The proper length of fiber is needed to allow splicing and then neatly storing fiber in the splice tray. Inside splice closures and at each end, cables with metallic shielding or strength members must be ...



FOSC® 450 C6 Fiber Optic Splice Closure, Gel Cable sealing, no pre-installed tray, 6 cable attach., three ground feedthrough lugs, with test valve. Price per each.



Shop Our Inventory Of Fiber Optic Splice Closures Online. Graybar Is Your Trusted Distributor For Fiber Optic Closures.



The 576 core dome joint closure is a mechanical sealing design with one oval port cable entry and eight round port outlets. It is a great solution for distributing, splicing and storing outdoor optical cables.



The closure has the ability to accommodate loop-through, branch and butt splicing. CFAS are ideally suited for outside plant, cell sites, MTSO or other environments where providers use aerial distribution.



The Apex closure line is designed to improve usability, decrease installation time, increase network reliability, and increase density of fiber splices, especially when coupled with AFL's industry-leading ...



These sealed canister closures are available in configurations that can accommodate from 72 to 576 single-fiber splices, or from a 288- to 1296-fiber capacity if splicing ribbons. The consolidation of ...



Through our COYOTE ® fiber optics brand, PLP offers an industry-leading line of outside plant closures for ADSS fiber optic cables.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

