

7006 Core Switch




7006 Core Switch

	Interlock Switches Spring Locking: Straight In-line; Solenoid Voltage: 110/230 V ac; Contact Configuration: 1 NC/1 NO; 1 NC/1 NO; Dimensions: 170 x 43 x 46 mm; Plastic Housing
	Managed Switch 7000 series, 6 RJ45 ports 10/100 Mbps, 2 SC multi-mode 100 ...
	This 9 rack unit (RU) switch offers a compact form factor, high availability, and exceptional performance with front-to-back airflow. That makes it ideal for small- to medium-sized data center access, ...
	Managed Switch 7000 series, 6 RJ45 ports 10/100 Mbps, 2 SC multi-mode 100 Mbps, degree of protection: IP20, Ambient temperature (operation): -40 °C ... 70 °C, Supply voltage range: 12 V DC ...
	Click in to download RG-NBS7006 Datasheet Official or get more details of this document. Ruijie Networks provides this basic information for our customers, distributors, after-sales ...



We can provide sales of a large number of new or used transmission equipment, servers, communication power systems, routers, base station equipment, switches, SFPs, storage devices, ...



Modular design provides scalability and flexibility
High-Level Redundancy, Ensuring Nonstop Service
Whole Network Solution Specially Designed for
SMB Scenarios Lifetime management on Ruijie ...



Small and medium-sized enterprises can use the
Ruijie Reyee RG-NBS7006 6-Slot L3 Cloud
Managed Modular Core Switch Chassis, a 9U
swappable box-style ...



The 7700 series switches are comprised of the
7706 (6 slot), 7710 (10 slot) and 7718 (18 slot)
switches. The Nexus switches are high
performance distribution and core switches that
have ...



The RG-NBS7006 is a Layer 3 Cloud Managed
switch, tailored to meet the ...



The H3C S7006X, part of the H3C S7500 series, is
a high-end multi-service routing switch designed
to meet the needs of large-scale enterprises and
data centers.



Small and medium-sized enterprises can use the Ruijie Reyee RG-NBS7006 6-Slot L3 Cloud Managed Modular Core Switch Chassis, a 9U swappable box-style network switch.



The RG-NBS7006 is a Layer 3 Cloud Managed switch, tailored to meet the evolving needs of SMB environments. With a switching capacity of 1920Gbps and a forwarding rate of 1440Mpps, this switch ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

