

After-sales service for DFB distributed feedback laser 200G



After-sales service for DFB distributed feedback laser 200G



For the detection of major trace gases, we offer Distributed Feedback Lasers with enhanced specifications. Download your datasheet:



This distributed feedback lasers buying guide provides technical background, comparison of major types, selection criteria, and an overview of suppliers.



Offers high-quality DFB lasers (1018-1188 nm) for diverse applications. Our lasers support a wide range of operations from picosecond (15, 20 or 50 ps) to nanosecond pulses and CW, ideal for material ...



DFB lasers suitable for near infrared molecular absorption. Available wavelength range between 1260 nm and 2340 nm. A variety of DFB-LDs are available ...



As your partner, we're here to guide you through the selection process, ensuring that your DFB laser integrates seamlessly into your existing systems. With time-tested technology that balances power ...




Discover SemiNex''s high-power and stable Distributed Feedback Lasers in C-band and O-band wavelengths for LiDAR, optical communications, and data centers. Customizable options available ...



The front facet of the laser chip is provided with a high quality antireflection coating for avoiding the Fabry Perot modes of the laser chip. Distributed Feedback (DFB) Diode Lasers are available at ...



Distributed Feedback Lasers (DFB) from Innolume ensure high wavelength stability and narrow linewidth. Covering 780-1350 nm, they feature a proprietary chip design.



We also offer single-frequency DFB lasers in butterfly packages and pigtailed TO can packages, as well as turnkey DFB systems at both 1310 nm and 1550 nm. While the center wavelength is listed for ...



DFB lasers suitable for near infrared molecular absorption. Available wavelength range between 1260 nm and 2340 nm. A variety of DFB-LDs are available telecom and spectroscopy applications! ...



Applications include power plants, gas pipelines and emission control systems as well as airborne and satellite applications. Visit our applications section for detailed descriptions of the use of nanoplus ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

