

# Australian OSFP Optical Transceiver Module



## Overview

The OSFP Optical Transceiver is an InfiniBand 800Gb/s 2x400Gb/s Twin-port OSFP, SR8 multimode, parallel, 8-channel transceiver using two, 2-fibre, 4-channel MPO-12/APC optical connectors at 400Gb/s each. FS Product Custom is a customized service provided by FS to meet customers' hardware and software development needs, including product compatibility and software feature development for PicOS®, AmpCon, and transceivers. Providing industry-leading limited lifetime warranty. Refunds will be received. This specification defines the electrical connectors, electrical signals and power supplies, mechanical and thermal requirements of the OSFP Module, connector and cage systems. The OSFP Management interface is described in a separate document, Common Management Interface Specification for 8/16X. OSFP is a high-speed, high-density, hot-pluggable transceiver module used in data communication applications, targeting speeds of 400G, 800G, and even 1. This guide gives you the complete picture. 6T optical modules (eight 200Gbps lanes), making it a better option for those seeking.

## Australian OSFP Optical Transceiver Module



The OSFP standard marks a pivotal step toward scalable 400G and 800G optical networking, designed from the ground up for AI, cloud, and HPC infrastructures. With open MSA ...



OSFP is a high-speed, high-density, hot-pluggable transceiver module used in data communication applications, targeting speeds of 400G, 800G, and even 1.6TB.



OSFP packaging will soon be used in 1.6T optical modules (eight 200Gbps lanes), making it a better option for those seeking future scalability options. The OSFP form factor is not backward compatible ...



The Cisco® OSFP 800G transceiver modules provide 800 Gigabit Ethernet (GE), 2x 400GE, 4x 200GE, and 8x 100GE connectivity options, complying with the Octal Small Form Factor Pluggable (OSFP) ...



The OSFP module shall operate within one or more of the case temperature ranges defined in Table 8-1. The temperature ranges are applicable between 60m below sea level and 1800m above sea level.



The OSFP standard creates a high-speed optical transceiver form factor that enables data transmission at 400G, 800G, and 1.6T speeds. The system operates through eight electrical ...




Normally, each OSFP module can accommodate data speeds between 200 Gbps and 400 Gbps, which makes it ideal for use in high-density ...



The 400GBASE-SR4 OSFP transceiver is an 400Gb/s Single-port OSFP, SR4 multimode parallel transceiver using a single, 4-channel MPO-12/APC optical connector. The Short Reach 4-channel ...



This specification defines the electrical connectors, electrical signals and power supplies, and mechanical and thermal requirements of the OSFP and OSFP-RHS module, connector, and cage ...



Discover how OSFP modules provide high-speed optical connectivity for data center applications. Learn about the different form factors, data rates, and compatibility options available.



The OSFP Optical Transceiver is an InfiniBand 800Gb/s 2x400Gb/s Twin-port OSFP, SR8 multimode, parallel, 8-channel transceiver using two, 2-fibre, 4-channel MPO-12/APC optical connectors at ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

