

British Bissau Diode Laser Tube Test Socket



Overview

Laser Diode Test Socket 3-pins LD Socket TO-18 (5. Small size, easy to install and use 1. BOSA, TOSA, ROSA coaxial package and finished product. Thorlabs offers a versatile range of accessories for convenient integration of laser diodes into functional systems. It is an essential tool for manufacturers of optical active components. Most of the laser diode sockets required by optical active component manufacturers have a single specification, short. Pricing (USD) Filter the results in the table by unit price based on your quantity. A tariff of 8% may be applied if shipping to the United States. A. New: A brand-new, unused, unopened, undamaged item in its original packaging (where packaging is. Packaging should be the same as what is found in a retail store, unless the item was.

British Bissau Diode Laser Tube Test Socket



Three-legged laser diode test, the length of pin is universal. 2. Low resistance, not easy to oxidize, long service life. 3. Small size, easy to install and use. 1. Laser diode test. 2. BOSA, TOSA, ROSA coaxial ...




Mouser offers inventory, pricing, & datasheets for Laser Diode Socket IC & Component Sockets.








Laser Diode Socket is socket developed for the packaging and testing of laser diodes, TOSA, BOSA and ROSA. It is an essential tool for manufacturers of optical active components.



These laser diode sockets are ideal for OEM-type implementations and are compatible with our selection of Ø3.8 mm, Ø5.6 mm, Ø9 mm, and TO-5 laser diode packages. All of these sockets are ...



We offer a variety of sockets compatible with laser diode packages such as TO-18, TO-46, TO-52, and TO-72. We also provide cable-equipped sockets designed for FCD.

	<p>TO-18 TO-56 5.6mm laser diode socket laser tube test seat gold-plated connection seat. The test of laser diode.</p>
	<p>Home / Aging test socket / Laser diode socket / TO56 5pin 2.0mm 2.2mm 2.54mm pitch Crystal transistor test socket laser diode socket TO56 5pin 2.0mm 2.2mm 2.54mm pitch Crystal transistor ...</p>
	<p>These sockets have gold-plated BeCu contacts and meet RoHS compliance. The S8060 and S8060-4 sockets have a polarization dot on the top of the package (see drawings in Table G2.1).</p>
	<p>White 8-pin 8pinFP laser diode test holder LD laser diode detection mount TO socket socket Add to cart</p>
	<p>Accommodates most any TO package format with pin circle options of .079" (2.0 mm) or .100" (2.54 mm), including popular laser diode devices 3 and 4 lead options available</p>

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

