

# Classification of ALF Relay Protection



## Classification of ALF Relay Protection



Fundamental concepts and terminology will be taught using the electromechanical overcurrent relay as a foundation and then these concepts will be expanded to modern numerical relays.



Also, the protection class CT should maintain its rated accuracy at fault currents to have intact protection. The accuracy limit factor (ALF) of the CT is defined as the ratio of the rated ...



Protection Class CTs are not just “more rugged” versions of metering CTs—they are precision devices designed to operate in extreme conditions, ensuring relays act precisely when fault ...



Current transformers (CTs) play a crucial role in power systems, especially in protection and metering applications. The Accuracy Limit Factor (ALF) is one of the key parameters that ...



This guide covers both metering and protection accuracy classes according to IEC 61869-2 and IEEE C57.13 standards, helping you choose the appropriate CT class for your specific requirements.



The IEC class P CT is primarily dimensioned via the ALF. ALF is the ratio of symmetrical current with respect to the CT rated current for which the manufacturer guarantees that the CT meets the ...



Learn CT accuracy classes for metering (0.2, 0.5S) and protection (5P, 10P) per IEC 61869-2. Get ALF calculation guidance from XBRELE engineers.



A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.



For protection-class CTs (Class 5P and 10P per IEC standard), the composite error at ALF must not exceed 5% or 10% respectively. Beyond the ALF threshold, the CT core saturates, the ...



It covers CT classification, accuracy classes, accuracy limit factors, and formulas for calculating needed CT power ratings to ensure correct protection relay function up to the largest fault currents without ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

