


# Configure the IP address for the optical module



## Overview

Open the network settings and configure the IP address to 192. 100, with a subnet mask of 255. When you plan to replace a configured optical module with a different type of optical module, you must clear the configurations of the old module before you install the new module. PON Serial Number (SN): A 12-16 alphanumeric code to identify your ONU., China Telecom); these can be extracted from your original device. VLAN ID: For instance. The Optical Switch Setup dialog is used to enter a USB, RS-232, or LAN SICL or VISA interface address for connecting FlexDCA to an optical switch. Follow these step-by-step instructions to configure your EDFAMUX for the first time a d helpful tr le (CISCO spec bles (for transceiver connect click cleaner fault password (adm b IP address into your brows r use th the distance from the OTDR report.

## Configure the IP address for the optical module



Using the laser command, you can configure the laser working mode of the optical module on a passive optical network (PON) interface. The default laser working mode is auto.



The following parameters are used to configure the communication interface of the Optidrive E3. Refer to the drive user guide for specific details of the functions of other parameters.



Open the network settings and configure the IP address to 192.168.11.100, with a subnet mask of 255.255.255.0, and leave the gateway blank. The module's default IP address is usually ...



The Optical Switch Setup dialog is used to enter a USB, RS-232, or LAN SICL or VISA interface address for connecting FlexDCA to an optical switch. Valid address strings can be copied from Keysight's ...



This chapter describes how to configure the Optical Amplifier Module and Protection Switching Module (PSM).



If you're looking for a comprehensive guide on configuring your Huawei ONT Optical Network Terminal for RJ45 connection and PPPoE dial-up setup, you've come to the right place.



This is a reference GUIDE to assist with IP address configuration. If the steps outlined in this documentation aren't working as indicated, we recommend that you try another computer or laptop.



The document contains instructions for tasks such as IP address configuration, ...



The document contains instructions for tasks such as IP address configuration, SNMP settings, time synchronization, card and ONU authentication, resource allocation, and service parameter ...



4.1 Always inspect optics, patch cables, and EDFAMUX connectors with an optical camera before connecting or disconnecting them to avoid unstable connections and CRC errors.



After soldering the Morningcore module onto our carrier board, several important configuration steps are required before the system can operate properly. This guide explains the default network settings, ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

