

Configuring vlantrunck on Huawei aggregation switch



Overview

□□ How to Create VLAN on Huawei Switch | Step-by-Step CLI Tutorial ♦♦ VLAN Configuration on Huawei Switch | Access, Trunk & Hybrid Ports Explained □□ Huawei Switch VLAN Setup | Complete VLAN Configuration Guide (2025).
moreConfigure the core switch as the management subnet gateway of the aggregation/access switches. Create downlink Eth-Trunk interfaces on the core switch for connecting to aggregation switches and. VLAN aggregation, also called super-VLAN, partitions a broadcast domain on a physical network into multiple VLANs (sub-VLANs) and aggregates them into a single logical VLAN (super-VLAN). For our example, we will use the below VLAN topology. You can download this configuration on Huawei eNSP Labs Page. Explanation: The interfaces are joined to VLAN1 by default, so it is recommended to exit the interface from VLAN1 or Shutdown the interface. Enter system view, return user view with Ctrl+Z.

Configuring vlantrunck on Huawei aggregation switch



Configure the management VLAN auto-negotiation function with the core switch acting as the root device. In this example, aggregation/access switches and APs respectively use different auto ...



In this lesson we will learn Huawei VLAN Configuration on Huawei Switches. VLAN Configuration is one of the key lessons for Huawei HCNA.



Link-Aggregation. Enter system view, return user view with Ctrl+Z. 2. Create VLANs. Display the Vlan configuration for S1 and S2. GE0/0/6(D) GE0/0/7(D) GE0/0/8(D) GE0/0/11(D) ...



This tutorial covers everything from VLAN creation to interface assignment and verification — perfect for beginners and network professionals alike. ☐☐
Topics Covered: Entering ...



This text is a guide detailing Basic Command Line Interface (CLI) Commands on Huawei brand switches. It provides step-by-step instructions for users to perform fundamental network configuration ...



This document provides campus networks typical configuration examples and feature typical configuration examples.



VLAN aggregation maps each sub-VLAN to a broadcast domain, associates a super-VLAN with multiple sub-VLANs, and assigns only one IP subnet to the super-VLAN. Consequently, the gateway IP ...



As shown in Figure 1, configure an LACP mode link aggregation group on two Switch devices to improve the bandwidth and reliability between the two devices, with the following requirements:



Configure the management VLAN auto-negotiation function on the core switch acting as the root device. For details, see [Configuring Aggregation and Access Switches to Be Managed by ...](#)



The document provides configuration instructions and commands for basic switch configuration using Huawei switches. It covers topics such as changing the ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

