

Cuban Agent for QSFP-DD Optical Receivers



Cuban Agent for QSFP-DD Optical Receivers



Ascent's QDD-400G-ZR QSFP-DD Digital Coherent Optic Modules are 400 Gb/s Quad Small Form Factor Pluggable- double density (QSFP-DD) transceivers designed for long distance optical ...



The QSFP-DD form factor device is hot pluggable and includes digital diagnostics monitoring (DDM) and control functions. This module enables interoperable and cost-effective ...



March 11, 2022 - QSFP-DD/QSFP-DD800/QSFP112 Hardware Specification for QSFP DOUBLE DENSITY 8X AND QSFP 4X PLUGGABLE TRANSCEIVERS - Rev 6.2 November 2, 2021 - ...



The product is designed with form factor, optical/electrical connection and digital diagnostic interface according to the QSFP-DD Multi-Source Agreement (MSA) Type 2. It has been designed to meet the ...



The transceiver has a standard QSFP-DD connector on the electrical side towards the host system. The optical interface is composed of four optical channels/fibers in each direction, intended for a parallel ...



Thanks to the miniaturization of the technology with a 7-nm manufacturing procedure and innovation in silicon photonic technology, it is now possible to squeeze a 400G-capable Digital Coherent WDM ...



Description The 400G QSFP-DD ZR Transceiver is a high performance, cost effective module for optical data communication applications to 400G. The 400G QSFP-DD ZR is deigned to 400G 120Km DCI ...



400G QSFP-DD transceiver module is individually tested on corresponding equipment such as Cisco, Arista, Juniper, Dell, Brocade and other brands, and passes the monitoring of FS intelligent ...



By plugging Coherent's high transmit output power 400G QSFP-DD-DCO ...



The high performance and low power of the 400G QSFP-DD ULH ...



What is a QSFP-DD Transceiver? The QSFP-DD optical transceiver form factor enables 400G and 800G connections while supporting existing QSFP systems because it maintains ...



Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization. Supports an expansive list of interoperability ...



To support 200G backward compatibility requirement, the mapping of high-speed electrical input/output lanes from QSFP-DD connector to optical wavelengths of the 400G-FR4 module is defined as in ...



By plugging Coherent's high transmit output power 400G QSFP-DD-DCO transceivers directly into their switches or routers, network operators can remove the intermediate transponder/muxponder ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

