


Cylindrical Optical Cable Connector Housing



PRODUCT MODEL: **RVS**
CONDUCTOR MATERIAL: **Copper**
RATED VOLTAGE: **450/750V**



Overview

SC connector is built around a long cylindrical 2.5mm diameter ferrule, made of ceramic (zirconia) or metal (stainless alloy). A 124~127um diameter high precision hole is drilled in the center of the ferrule, where stripped bare fiber is inserted through and usually bonded by epoxy or. Fiber Optic Connector Housings provide the mechanism for snapping into a mating sleeve (adapter) whether it is board mount, free hanging, or panel mount. The housings are to be used with F1 contacts, F2 contacts, HMUA-F3 ferrules, HMUB sleeve holder, HSC ferrules, LC connectors, LC plugs, Lightray. Corning wall-mountable connector housing (WCH) product family offers enhanced innovative features that make installation and troubleshooting of fiber optic connectivity faster, easier and more cost-effective. From fiber and cable routing and strain-relief to port labeling and termination, these. As a leading supplier of advanced fiber optic components, Molex has an extensive product offering that includes a full range of optical solutions from connectors, adapters and cables to backplanes and high-density interconnects. 48, 64 72-channel configurations.

Cylindrical Optical Cable Connector Housing



When your fiber optic cable assembly house uses connectors that meet stringent measurements tolerances, you are positioned to build world-class fiber optic cable assemblies that ...



Shop DigiKey's large in-stock selection of Fiber Optic Connector Housings. View inventory, pricing and order now for same day shipping!




Amphenol Fiber Systems International manufactures a complete line of circular fiber optic connectors including M28876 connector. The MFM Fiber Optic Connector is lightweight, with anti-vibration ...



Samtec is the service leader in the electronic interconnect industry and a global manufacturer of Connectors, Cables, Optics and RF Systems, with full channel system support from the IC to the ...




Corning closet connector housings (CCHs) solutions provide interconnect or cross-connect capabilities between outside plant, riser or distribution cables and opto-electronics.



SC connector is built around a long cylindrical 2.5mm diameter ferrule, made of ceramic (zirconia) or metal (stainless alloy). A 124~127um diameter high precision hole is drilled in the center of the ...



From fiber and cable routing and strain-relief to port labeling and termination, these housings reduce the risk of error that can disrupt networks. The WCH housing provides interconnect or cross-connect ...



Providing high-performance mixed optical and electrical signaling to reduce the number of connectors needed in medical systems, MediSpec Hybrid Circular MT Connectors leverage the existing circular ...



Amphenol FSI offers fiber optic high performance termini and connector systems within a wide range of cylindrical and rectangular interconnect packaging. Amphenol offers ARINC 801 compliant termini for ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

