

Distribution box FC marking

Ordering information


NO.	1	2	3	4	5	6
Model	SPF12H1	SPF24H2	SPF48H4	SPF6H1	SPF12H2	SPF24H4
Product name	Patch Panel	Patch Panel	Patch Panel	Patch Panel	Patch Panel	Patch Panel
Illustration						
HU	1	2	4	1	2	4
Maximum number of cores	144	288	576	144	288	576
Product size (including modules and adapters)	482.6*371.1*44 mm	482.6*371.1*88.1 mm	482.6*371.1*177 mm	482.6*371.1*44 mm	482.6*371.1*88.1 mm	482.6*371.1*177 mm
Standard color code	RAL9005	RAL9005	RAL9005	RAL9005	RAL9005	RAL9005



Distribution box FC marking



It is mandatory to include a banner marking at the top of each page denoting Controlled Unclassified Information. It is optional, but a best practice to include the banner marking on the bottom in addition ...



Portion markings are optional, but recommended, on unclassified documents. If annotated, they must be applied to all portions, to include subjects, titles, paragraphs, subparagraphs, bullet points, figures, ...



A similar marking scheme would be applicable for documents and materials that contain Distribution Statements: Line through the distribution alphabetic letter "C" and change it to an "A" signifying it has ...



This guide is intended to offer DoD staff and contractors a basic understanding of the rationale and mechanics of properly assigning DoD Distribution Statements to DoD technical ...



The first column "Control" is the marking that will be needed based upon the description. The second column "Marking" is how you should mark the appropriate sections/document (s), and ...



Opportunity to explore lessons learned, hands-on experience, and working knowledge of procedures to identify and mark technical information and how it flows through the supply chain



All DoD Components generating or responsible for technical documents shall determine their distribution availability and mark them appropriately before primary distribution.



If you are a DoD contractor and are concerned about identifying unmarked or improperly marked CUI in your environment, be on the lookout for information containing, or which you are instructed to mark ...



To promote the free flow of information within the DoD, Distribution Statement F will not be used on classified, CUI, or unclassified scientific or technical information governed by the DoD scientific and ...



Directly beneath and separate from the CUI designation indicator box, is the distribution statement in its entirety. Additional markings are included as required, e.g., export control.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

