

Export Micro Module 2U



Export Micro Module 2U



available in single-phase and 3-phase input options. Wide range of models and fully adjustable outputs. Multiple control modes provide ultimate application flexibility.




Safeguard your data with fault diagnosis, resolution capabilities, persistent error logging, and monitoring while ensuring maximum availability and harnessing high-availability features such as dual PCMs ...



When installed in the server via Modator slots, each module can work independently to convert high-quality audio and video signals to and from NDI® and other IP streams.



(*Requires additional parts, please see the optional parts list for details. For more details on PCIe slot configuration options, please refer to the system callout images above.)



Boost reliability, efficiency & scalability with Supermicro's 2U single processor rack servers. Optimal for small & mid-size workloads for cloud & enterprise.



Save, share, or download your configuration after adding it to the cart. How satisfied are you with the configurator tool?



Schedule free access to validate, test, and benchmark your own workloads on Supermicro's top-end server platforms with a few simple steps. Click the button to download the latest BIOS for this ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

