




Fiber FC-FC50m





Fiber FC-FC50m

 <p>Pre-Terminated Patch Panel</p> <p>● Full application support ● Flexible configuration ● Modular design</p>	<p>The 50/125 multimode fiber in these cables is the most common type of fiber optic cable for short-distance applications. It can transmit data at speeds of up to 10 Gbps over distances of up to 2 ...</p>
---	---

	<p>Great flexibility and durability with a flexible stainless steel tube inside the outer jacket as the armor to protect the fiber glass inside. It retains all the features of standard patch cord, but is much stronger. It ...</p>
---	---

	<p>50M 10Gb OM3 Duplex Fiber Optic Cable (50/125) FC-FC Custom-Wall-Plates (6742) 99.8% positive</p>
--	--

 <p>LSZH or PVC Optical fiber FRP</p>	<p>50 Meter Length - Plenum rated FC-FC Simplex Single strand Fiber Optic Cable.</p>
--	--

	<p>Constructed with a 50/125 micron multimode fiber, this cable ensures excellent signal clarity and minimal loss, making it perfect for applications such as telecommunications, data centers, and high ...</p>
---	--



These fiber optic patch cables feature OFNR (Riser rated) jackets along with FC/APC style connectors. Each fiber optic cable is functionally tested to guarantee top performance upon delivery.



50 Meter Length - 50/125 FC-FC 4 Strand Fiber Optic Cable.



50 Meter Length Multimode (50/125) Plenum FC-FC Duplex 2 strand Fiber Optic Cable.



50M (160FT), OM5 FC-FC Fiber Optic Patch Cable Multimode 40/100Gb is designed for the future 200/400 Gigabit networks with a full backwards compatibility with the existing 10/40/100 Gigabit ...



50 Meter Length - Plenum rated FC-FC Simplex Single strand Fiber Optic Cable.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

