

## Fiber pigtail 1m and 2m



## Fiber pigtail 1m and 2m



CommScope engineers and manufactures a complete line of high quality fiber pigtails



Reliable fiber optic pigtails with zirconia ceramic ferrule & Corning fiber cable. Available in various lengths and connector styles. Buy Now.



TRUE CABLE Simplex LC UPC OS2 Singlemode PVC (LSZH) 0.9mm, Fiber Optic Pigtail Fusion and Mechanical Splice, Singlemode 9/125 900um Tight Buffer, 2m, 6 Pack Small Business



Simplify fiber termination with ZERO Connect's high-quality fiber pigtails. Our single-mode and multi-mode assemblies, available with various connector types, provide a reliable, low-loss solution for ...



Pigtails are used for non-permanent connections in patch panels, transmission equipment etc. Factory assembled pigtails allow for high quality termination of a network.



Leviton fiber optic pigtail kits are a good solution for mechanical or fusion splicing applications. Available in a range of multimode and single-mode fibers with SC, ST or LC connectors. Our premium pigtails ...



OCC's fiber optic pigtail assemblies are designed for reliability and performance. All OCC pigtail assemblies may be ordered pre-terminated in any OCC rack or wall mount cabinet or custom ...



Fiber optic pigtails are designed to support fusion and mechanical splicing for fiber cabling systems. They provide a fast way to make communication devices in the field.



Fiber Optic Interconnects, Patch Cords & Pigtails  
Not finding what you're looking for?



FS fiber optic pigtails offer a fast way to make fiber optic communication devices in the field by fiber splicing, fully manufactured and tested by industrial standards.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

