



Fireproof cable trays for fire pump rooms

All-Optical Backplane



- Zero fiber connections at the optical layer, three layers of dustproof design, and stable running for 20 years
- Innovative multi-level dustproof and optical port alignment technologies, ensuring high reliability

Many-Degree WSS



- 32 degrees, non-blocking flexible grooming
- Contentionless, OA-free, high reliability, 3x wavelength dropping efficiency compared with traditional boards

Digital Optical Layer



- Use of OFDM pilot tone and high-precision wavelength monitoring technologies to visualize the fiber quality, wavelength resources, and performance of the OXC system, achieving digital O&M



Fireproof cable trays for fire pump rooms



The EZ Path Series 84+ Fire-Rated Pathway is designed for high cable volume conditions through fire-rated walls while eliminating the burden of ongoing maintenance.



Explore the importance of fire-resistant cable trays in high-risk environments. Learn about the best materials and practices to ensure maximum safety and performance in fire-sensitive areas.



Build fire-rated enclosures around tray runs, transitions, and penetrations to block flame and smoke movement. Integrate coverings with existing fireproofing and firestopping systems for full compliance ...



We design custom cable enclosures that protect against fire & blasts. Cost-effective protection with quick installation and NEC & NFPA compliant solutions.



Cable trays are intended for the construction of fire-resistant cable paths with surface cable laying. Cable paths are constructed as standard or lightweight cable paths.



Use this product in new construction or update your fire protection in a renovation - the optional mounting bracket opens easily allowing retrofit installations.



Safeguard your infrastructure with our Fire Rated Cable Trays that are engineered to inhibit flame spread and support swift fire response. The shield cables are from moisture, dust, UV radiation, and ...



Annular space: point contact to max. 3 ½ in. (vertical) and 8 in. (horizontal) to periphery of opening or foam/block interface, rest of the opening has to be sealed with ZZ® 260 Fire Protection Block



Find out all of the information about the NIEDAX product: fire-resistant cable tray . Contact a supplier or the parent company directly to get a quote or to find out a price or your closest point of sale.



FireMaster products insulate cable trays carrying instrument control cables to ensure that the cables can operate long enough to allow process shut down during fires.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

