


## Guatemala 1 6T optical module 400G order



## Guatemala 1 6T optical module 400G order



Our sales manager will contact you soon. NADDOD transceiver solutions for 400G/800G/1.6T enable enterprise and data center operators to increase bandwidth and speed at a low cost.



Genuine Optics 's 1.6T high speed optical module products use in-house silicon photonics chips.



Shop high-speed optical transceivers from Unitekfiber. We offer 100% compatible 40G, 100G, and 400G QSFP-DD modules for data centers. Expert technical support & wholesale pricing.



Shop high-speed optical transceivers from Unitekfiber. We offer 100% compatible 40G, 100G, and 400G QSFP-DD modules for data centers. Expert technical ...



Find top 1.6T optical modules with QSFP-DD, PAM4, and 1310nm wavelength. Compare prices, MOQs, and supplier ratings. Click to discover verified suppliers and customize your order today.




Credo's extensive optical portfolio includes DSPs for 50G, 100G, 200G, 400G, 800G and 1.6T PAM4 optical transceivers and active optical cables. Our products meet ...



ACON OPTICS' 1.6T, 800G, and 400G optical transceiver series are engineered to meet the rigorous bandwidth and performance requirements of next-generation data centers.




The module converts 8 channels of 50Gb/s (PAM4) electrical input data into 4 channels of CWDM optical signals and multiplexes them into a single channel for 400Gb/s optical transmission.



200G/400G/800G optical module features up to 40km transmission distances using QSFP56/QSFP-DD footprints for data center interconnect applications - FiberMall



The terms 400G, 800G, and 1.6T refer to the total data transmission speeds of optical modules, which are essential for modern networks. These modules enable high-speed data transfer ...



Broadcom's Active Copper PHY portfolio enables DAC cable providers to build very low insertion-loss profile, ultra-low latency, ultra-low power cables for 100G/400G/800G/1.6T hyperscale/AI networks ...



The module converts 8 channels of 50Gb/s (PAM4) electrical input data into 4 channels of CWDM optical signals and multiplexes them into a single channel for 400Gb/s optical transmission.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

