

How to delete a zone on a fiber optic switch



Overview


Use `cfgdelete` command to delete a zone configuration. To ensure the changes persist across switch reboots, save the configuration to nonvolatile memory by executing the `cfgsave` command. Connect to the switch and log in using an account with admin permissions. Welcome to Dell Technologies Connectrix Brocade B-Series - Break Fix Series. If all members (principal and non-principal. hardware/brocade/zoning.



How to delete a zone on a fiber optic switch



1. Firstly we need to know the specific names of the Zones that we intend to delete. To gather the full list of zone members within a Zoneset run `show zoneset vsan xx`. The output will ...



Working with zones: 1. Create a zone: `zonecreate "name", "member [; member...]"` Members can be aliases, ports, or WWN addresses. 2. Adding new members to the zone: `zoneadd ...`



Hence, switches are segmented due to zone conflict `cfg mismatch`. If the content difference is small, you can manually add, delete, or modify the config differences using `zone` or `alias` commands. But in ...



Use this command to remove one or more members from an existing zone, and to remove one or more members or principal members from a Peer Zone. If all members are removed, the zone is deleted. If ...



Use `cfgdelete` command to delete a zone configuration. To ensure the changes persist across switch reboots, save the configuration to nonvolatile memory by executing the `cfgSave ...`



DESCRIPTION Use this command to remove one or more members from an existing zone. If all members are removed, the zone is deleted. This command changes the defined configuration. For ...



Zone configurations 11 Deleting a zone configuration Use the following procedure to delete a zone configuration: 1. Connect to the switch and log in using an account with admin permissions.



Deleting existing Zone # `cfgremove "testfcsw1_cfg","TEST_Zone" # zonedel`
`delete "TEST_Zone" # cfgsave # cngen testfcsw1_cfg`



Use the following procedure to delete a zone. Connect to the switch and log in using an account with admin permissions. command to save the change to the defined configuration. command ends and ...



1. Connect to the switch and log in as admin. 2. Enter the `cfgRemove` command, using the following syntax: `cfgremove " cfgname ", " member [; member...]"` 3. Enter the `cfgSave` command to save the ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

