

Inner Mongolia Cable Tray Support Specifications



Inner Mongolia Cable Tray Support Specifications



The cable tray should be anchored at the support nearest to its midpoint between the expansion splice plates and secured by expansion guides at all other support locations (see Figure 3-39).



Inner Mongolia Galvanized wire mesh cable trays provide strong and durable support for electrical cables, ensuring easy installation, corrosion resistance, and reliable load-bearing capacity.




Cable Support Systems are well designed to provide necessary support for cable trays, cable ladders and trunkings. Cable supports are manufactured according to common standards from high quality ...



Trays shall be supported at a maximum span of 2.5m by trapeze, wall, floor or channel mounting methods and will not exceed maximum loads as specified by the manufacturer.



Description: Changes cable direction very smoothly from horizontal direction to vertical direction. Fittings are provided with covers upon request.



Length (W): 200. ng to tray height. Depth (D): 1.2mm, 1.5mm, Material: Mild steel sheet / PO steel sheet. Constructed Type: MIG welding. er coating / Hot ip galvanize / Bare galvan 4 Hanger Support.



Discover how our cable tray for EPC Solar Project supported the Inner Mongolia Solar Industry, ensuring efficiency and durability in extreme weather conditions.



This document specifies the requirements for hot-dip galvanized (HDG) steel cable trays with self-healing zinc coating, suitable for electrical cable support systems.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

