

# **Jordan Pluggable Optical Module 25G**



## Jordan Pluggable Optical Module 25G



Fiber optic module manufacturer, ETU-Link supply full model optical transceivers, including standard 8g/10g/25g/40g/100g sfp+ optical modules and ...



The NVIDIA ® MMA2L20-AR 25Gb/s transceiver module is designed for optical communication applications and is compliant with the IEEE 802.3 standard for 25G Ethernet ...




Electrical Loopback Modules GIGALIGHT provides a series of active electrical loopback modules for port testing of 25G SFP28, 100G QSFP28, 200G QSFP56, and 200G/400G QSFP-DD interfaces.



The NVIDIA ® MMA2L20-AR 25Gb/s transceiver module is designed for optical communication applications and is compliant with the IEEE 802.3 ...



All Juniper 25G optics are compliant with key industry standards and specifications for seamless interoperability in multivendor environments and qualified for use across ACX, EX, MX, and QFX ...



The Cisco 10/25GBASE-LR Module supports a link length of 10 kilometers on standard Single-Mode Fiber (SMF) G.652 at both 10G and 25G. This module requires RS-FEC on the host ...



Amphenol's 25G SFP28 optical modules include AOC series, which are compatible with IEEE802.3by and IEEE802.3cc. They are compliant with SFP28 MSA, SFF-8431 and SFF-8432, it is ...



JTOPTICS® 25GBASE SR 100m SFP28 optical transceiver, is designed a high performance module for short range data communication and interconnect applications which operate at 25.78125 Gbps up to ...



An SFP28 (Small Form-factor Pluggable 28) transceiver is a compact optical module designed for 32G Fibre Channel (FC) and 25G Ethernet applications. It provides a streamlined upgrade path from 10G ...



Fiber optic module manufacturer, ETU-Link supply full model optical transceivers, including standard 8g/10g/25g/40g/100g sfp+ optical modules and copper RJ45 transceiver, wholesale at factory price!



Looking for a specific compatibility? S2813010250F is a high performance transceiver module for 25 Gigabit Ethernet data links over a single mode fibre pair. The maximum reach is 10km. The ...



FS 25G SFP28 optical transceiver solutions offer a wide variety of high-density and low-power connectivity options for 25 Gigabit Ethernet, telecom, and data center.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

