

# Modify the fiber optic configuration of the disk array



## Overview

If you want to modify zoning for a storage array, select VMs and Services > applicable host > Properties > Storage > Fibre Channel Arrays > Edit > applicable array and modify the zoning settings. Contribute to MicrosoftDocs/SystemCenterDocs development by creating an account on GitHub. This document provides information about configuring Fibre Channel communication between the host server and the storage array. For basic setup information such as racking, power cabling, and recommended handling procedures, see the Getting Started Guide for your Storage Array at. This procedure provides the long forms of the Oracle Solaris Cluster commands. Most commands also have short forms. Except for the forms of the command names, the commands are identical. Validate that each troubleshooting step below is true for your environment. All Fibre Channel arrays will be shipped with the Nimble OS version 2.


## Modify the fiber optic configuration of the disk array



Read this article to set up Hyper-V virtual Fibre Channel in the System Center Virtual Machine Manager (VMM) storage fabric. Virtual Fibre Channel provides Hyper-V VMs with direct ...



The usage of this technical configuration guide is not limited to storage administrators, Intersight administrators, or server administrators who are seeking guidance on storage configurations.



Verify that the initiator is registered on the array, and that the storage array is configured correctly. You may need to contact your storage vendor for instructions on this procedure.




Perform volume management administration to remove the storage array from the configuration. For more information, see your Solaris Volume Manager or Veritas Volume Manager documentation.




In this guide, we'll walk through how to configure Fibre Channel storage on Proxmox VE 9 — step by step. Proxmox VE doesn't have a dedicated Fibre Channel storage plugin. Instead, it ...



Typically, the Fibre Channel class does not alter the device, for example, /dev/sda remains /dev/sda. This is because the target binding is saved by the Fibre Channel driver and when the target port ...



The following figure shows a three-server, mixed HBA cabling configuration that uses two separate switch fabrics to establish multiple paths to the storage array.



This document provides instructions for installing the Virtual Array 7000 family array controller and its associated hardware components. It also includes information on upgrading the controller ...



Since Nimble Storage introduced Fibre Channel, I'm sure that many of our customers and prospects want to use their new FC array. In this post, I will cover how to setup your new FC array ...



Read this article to set up Hyper-V virtual Fibre Channel in the System Center Virtual Machine Manager (VMM) storage fabric. Virtual Fibre Channel provides Hyper-V VMs with direct ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

