

Multimode dual-fiber 2-optical-4-electrical switch DC 220V



Multimode dual-fiber 2-optical-4-electrical switch DC 220V



It comes with 4 copper cable transmission ports and 2 ports for multimode fiber optic. It provides simple and complex connectivity for multiple Ethernet device, network ...



Shop DigiKey's large in-stock selection of Fiber Optic Switches, Multiplexers, Demultiplexers. View inventory, pricing and order now for same day shipping!



It comes with 4 copper cable transmission ports and 2 ports for multimode fiber optic. It provides simple and complex connectivity for multiple Ethernet device, network management, enhanced cyber ...



The D1x2 Opto-Mechanical Bi-directional Fiber Optic Switch connects optical channels by redirecting 2 incoming optical signals into 4 output fibers. This is achieved using a opto ...




In order to meet the different requirements of industrial applications, this series adopts a modular design, up to 2 Gigabit optical fiber ports and 4 Gigabit Ethernet electrical ports, which enhances the ...



2X4 Optical Matrix Switches allow simultaneous connection between 2 inputs and 4 output fibers, in a fully non-blocking, all-optical, cross-connect configuration.




The Dual 2x2 Bypass Opto-Mechanical Bi-directional Fiber Optic Switch connects optical channels by redirecting 4 incoming optical signals into 4 output fibers.



With a patent pending opto-mechanical configuration, this D2x2B fiber optic switch can be achieved and activated via an electrical control signal. The mechanical operation offers ultra-high reliability and fast ...



The OPS-Series is a multi-channel optical switch for single or multimode fibre. The rack-mountable instrument can switch up to 4 input fibres to any of up to 48 output fibres in a simplex or duplex mode.



2 Optical And 4 Electrical Multimode Dual Fiber Switch Security Monitoring Precision Materials, Find Complete Details about 2 Optical And 4 Electrical Multimode Dual Fiber Switch Security Monitoring ...



Configurations of 1x1 to n x m (e.g., 1x8 or 2x2) are available. The insertion loss of MM switches typically amounts to approximately 0.4 dB to 1.0 dB. This depends on the type of fiber and the configuration of ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

