

## Outdoor integrated power supply with remote monitoring for vehicle-mounted fiber optic cables



### Overview

Embedded LINQ Technology allows you to monitor, control, and report power and diagnostics from anywhere. 5A or 230VAC, 50/60 Hz, 1. Four (4) PoE/PoE+ (up to 30W) ports. 120W total. Altronix NetWaySP4WPX Outdoor PoE+ Hardened Switch provides two (2) 1Gb SFP (Fiber) ports and four (4) PoE+ (30W) ports, passing data for PoE/PoE+ compliant devices. Cameras/ edge devices may be located up to 100m from the unit. Remote OLTs for cable broadband are deployed in two different types of. AXIS T8504-E Outdoor PoE Switch gives you a quick, easy way to deploy outdoor cameras over long distances while keeping your installation costs low. With an integrated SFP port, it's perfect for fiber-based installation. AXIS T8504-E is. CommScope solves these challenges with a complete range of powered fiber solutions designed for just the kind of high-demand powered devices that power smart networks in healthcare, hospitality, education, transportation and government environments, among others. The cabinet is designed to configure for numerous applications including remote OLTs with PON distribution, wireless

base stations with fiber backhaul aggregation and. Compact, fiber-reinforced enclosure for outdoor applications (IP67) with integrated PoE+ power supply unit. With the IP67 mast box MICROSENS offers a pre-assembled compact enclosure, which is suited perfectly for the integration of the Ruggedized Gigabit Micro Switches. WiFi access points, video.


## Outdoor integrated power supply with remote monitoring for vehicl



CommScope solves these challenges with a complete range of powered fiber solutions designed for just the kind of high-demand powered devices that power smart networks in healthcare, hospitality, ...



Altronix NetWaySP4WPX Outdoor PoE+ Hardened Switch provides two (2) 1Gb SFP (Fiber) ports and four (4) PoE+ (30W) ports, passing data for PoE/PoE+ compliant devices.



AXIS T8504-E Outdoor PoE Switch gives you a quick, easy way to deploy outdoor cameras over long distances while keeping your installation costs low. With an integrated SFP port, it's perfect for fiber ...



The working conversion efficiency is as high as 97.5%, supports external expansion of power supply capacity, and independent power-off function of DC shunt.



EnerSys® is a leading supplier of energy storage, power systems, enclosures and distribution systems for cable broadband critical facilities and remote outdoor networks.



The Global Foxcom G4000 series Outdoor Unit (ODU) is an advanced modular outdoor enclosure system providing weatherproof protection for any combination of Global Foxcom Fiber Optic ...




Specifically designed for indoor/outdoor installations that utilize a centralized power supply to remote power and devices, thus eliminating the need to provide local ...



The pre-assembled IP67 housing has a fiber tray (splice cassette) and thus supports the accommodation of fiber optic connections. Furthermore, it optionally includes a 24 VDC or 48 VDC ...



Specifically designed for indoor/outdoor installations that utilize a centralized power supply to remote power and devices, thus eliminating the need to provide local AC power to each location.



Confidently deploy cybersecurity and edge computing applications in power, transportation, oil and gas and other networks with harsh environments. Our communications equipment meets and exceeds ...



The FiberFlex 3000 is an all-in-one design, capable of integrating fiber, power (AC & DC) and active equipment. This cabinet features flexible vertical options to meet a wide variety deployment ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

