

## Project Quotation QSFP-DD Optical Module NRZ




### Overview

Supporting the continuing growth in the bandwidth demand and datacenter traffic driven by networking and AI/ML requirements, the QSFP-DD (Double Density) Interconnect System delivers 8 lanes with up to 28 Gbps NRZ or 56 Gbps-PAM4 (up to 400 Gbps aggregate) in a compact footprint that. Supporting the continuing growth in the bandwidth demand and datacenter traffic driven by networking and AI/ML requirements, the QSFP-DD (Double Density) Interconnect System delivers 8 lanes with up to 28 Gbps NRZ or 56 Gbps-PAM4 (up to 400 Gbps aggregate) in a compact footprint that. Network operators are looking for cost-optimized optical solutions that provide increased density and reduced power consumption—across high-speed as well as legacy ports—without sacrificing network performance or reliability. © 2023 Cisco and/or its affiliates. Leveraging advanced PAM4 modulation and proprietary low-power DSP technology, our Wuhan facility. The Gigalight 200G QSFP-DD SR8 NRZ 100m optical transceiver (GQD-MPO201-DSR4C) is designed for 2x 100GBASE-SR4 Ethernet links reach up to 70m (OM3) or 100m (OM4) over Multi-Mode Fiber (MMF). This high-performance module integrates eight data lanes in each direction with 8x 25. Each lane can operate at.

Smartoptics QSFP-DD transceivers provide cost-efficient 400G and 800G optical networking. QSFP-DD (Quad Small Form-Factor Pluggable Double Density) transceivers double the number of high-speed electrical interfaces in QSFP to achieve 400G Ethernet speeds – and double them again to reach 800G.

## Project Quotation QSFP-DD Optical Module NRZ



Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization. Supports an expansive list of interoperability ...



This series of products uses 8 pairs of parallel multimode optical fiber transmission, and the distance can reach up to 70m (OM3) or 100m (OM4).



WolonFiber manufactures strictly MSA-compliant 100G QSFP28 and 200G QSFP56, QSFP-DD, and heavy-duty CFP2 optical interconnects optimized for ultra-dense Spine-Leaf topologies and long-haul ...



This series of products uses 8 pairs of parallel multimode optical fiber transmission, and the distance can reach up to 70m (OM3) or 100m (OM4).



The leaf-spine architecture network, designed with 400G QSFP-DD switches and 100G/400G optical modules, meets the requirements of high bandwidth, low latency, low convergence, and low power ...



QSFP-DD is the most widely adopted form factor for 400G, with great potential for 800G. While QSFP-DD prioritizes backward compatibility, OSFP's larger surface ...



QSFP-DD Interconnect System's 8-lane electrical interface transmits 28G NRZ, 56G PAM-4 and 112G PAM-4, up to 200, 400 or 800 Gbps aggregate. Backwards compatible with QSFP.



Cisco offers a comprehensive portfolio of QSFP-DD modules across copper, multimode fiber, and single-mode fiber, optimized for a broad range of applications and distances, leveraging NRZ, PAM4, and ...



QSFP-DD is the most widely adopted form factor for 400G, with great potential for 800G. While QSFP-DD prioritizes backward compatibility, OSFP's larger surface area enables higher thermal efficiency ...



The Gigalight 200G QSFP-DD SR8 NRZ 100m optical transceiver (GQD-MPO201-DSR4C) is designed for 2x 100GBASE-SR4 Ethernet links reach up to 70m (OM3) or 100m (OM4) over Multi-Mode Fiber ...



The product supports 100Gbps transmission speeds in an industry-standard, pluggable QSFP-DD form factor with 7nm DSP and can be widely used in metro carrier, access and Cloud/DCI applications.



Compliant with the Common Management Interface Specification (CMIS) for QSFP-DD modules, the 200G QSFP-DD SR8 transceiver incorporates Gigalight's proven circuit and VCSEL technology to ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

