

# **South Asia Drop Fiber Optic Cable OS2**



## South Asia Drop Fiber Optic Cable OS2



Buy OS2 Singlemode Fiber Optic Cable. element14 Malaysia offers fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support.



We make the ADSS (All Dielectric Self-Supporting Optical Fiber Cable) for the FTTH applications, ADSS is a popular aerial cable features its easy to use and economic, no messengers or supporting wires ...



These fibers ensure performance over the entire 1260nm to 1625nm spectrum and are compatible with legacy fiber and the geometric properties contributing to minimizing splice loss and increasing splice ...



This bulk OS2 singlemode fiber cable is outside plant drop cable with a UV resistant polyethylene jacket and water blocking aramid. The outer jacket encases the buffer tube along with 2 dielectric FRP ...




Get OS2 single mode duplex fiber patch cables for 1G/10G/40G/100G/400G Ethernet fiber connections to transport data up to 10km at 1310nm and 40km at 1550nm.



Colour coded carrier tube allows quick identification of cable type “OptiMax” performance 10Gb/s Transmission speeds for link lengths up to: 300 meters for OM3 (using an 850nm source per IEEE ...




Discover the key differences between OS1 and OS2 singlemode fibers, and OM3, OM4, OM5 multimode cables. Learn how to select the right fiber type for your project.



Mouser offers inventory, pricing, & datasheets for OS2 Fibre Optic Cables.



2 Core Fiber Optic Cable with Kevlar Strength Members. These Fiber Cables Are Commonly used with the Fiber SFP's below.



Mouser offers inventory, pricing, & datasheets for OS2 Fiber Optic Cables.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

