

Swiss optical transmitter 25G



Swiss optical transmitter 25G



The optical transmitter utilizes the Lumentum tunable ILMZ chip to provide a high performance, 25 Gbps transceiver. Channel tuning is supported on the ITU-T 100 GHz grid across full C-band with ± 2.5 ...



The SFP28 25G is a single-rate module with an operating range of 0.5m to 70m/100m over OM3/OM4 MMF, respectively, compliant with IEEE802.3by 25GBASE-SR optical specs.



Explore our full lineup of 25G optical transceivers—including SR, LR, and extended-reach variants—and request a sample today to experience seamless integration and unwavering reliability.



Power your short-range connections with Innoptical's 25G SFP28 SR transceivers. Experience reliable 300m transmission with low power consumption and seamless compatibility.



FS's SFP-25GER-31 is a very compact optical transceiver module converts 25Gbit/s serial CML electrical data into serial optical data compliant with the 25GBASE-ER standard.



The 25G BIDI SFP module is a single LC receptacle and allows bidirectional connection with a 1270nm transmitter and 1330nm receiver, making it simple to operate.



The 25G SFP28 SR optical transceiver transmits data over multi mode fibre at a distance of up to 100m. The transceiver operates on 1 wavelength and works in point-to-point scenario.



Cube Technology Trading's 25G transceivers provide high-performance optical connections with data rates of up to 25 Gb/s, making them a reliable solution for modern network infrastructures.



The Gigalight industrial 25G LWDM SFP28 40km optical transceiver (GSS-Sx250-ERT) is designed for Data Center 25GBASE-ER Ethernet and 5G Fronthaul CPRI/eCPRI links reach up to 30km without ...



Broadex Technologies' high performance and cost effective 25G Optical Transceiver Modules are built utilizing our innovative SiPh and COB technology. These reliable and robust SFP28 modules support ...



The 25G BIDI SFP module is a single LC receptacle and allows bidirectional connection with a 1270nm transmitter and 1330nm receiver, making it simple to ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://www.hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

